

# Mental Poker



**Adi Shamir, Ronald L. Rivest  
and Leonard M. Adleman**

**MASSACHUSETTS INSTITUTE OF TECHNOLOGY**

## ABSTRACT

Can two potentially dishonest players play a fair game of poker without using any cards—for example, over the phone? This paper provides the following answers:

- 1 No. (Rigorous mathematical proof supplied.)
- 2 Yes. (Correct and complete protocol given.)



Once there were two “mental chess” experts who had become tired of their pastime. “Let’s play ‘Mental Poker,’ for variety” suggested one. “Sure” said the other. “Just let me deal!”



Our anecdote suggests the following question (proposed by Robert W. Floyd): “Is it possible to play a fair game of ‘Mental Poker?’” We will give a complete (but paradoxical) answer to this question. First we will

prove that the problem is intrinsically insoluble, and then describe a fair method of playing "Mental Poker".

### What does it mean to play Mental Poker?

The game of Mental Poker is played just like ordinary poker (see Hoyle [2]) except that there are no cards; *all* communications between the players must be accomplished using messages. Perhaps it will make the ground rules clearer if we imagine two players, Bob and Alice, who want to play poker over the telephone. Since it is impossible to send playing cards over a phone line, the entire game (including the deal) must be realized using only spoken (or digitally transmitted) messages between the two players.

We assume that neither player is beyond cheating. "Having an ace up one's sleeve" might be easy if the aces don't really exist! A fair method of playing Mental Poker should preclude any sort of cheating.

A fair game must begin with a "fair deal". To accomplish this, the players exchange a sequence of messages according to some agreed-upon procedure. (The procedure may require each player to use dice or other randomizing devices to compute his hand or the messages he transmits.) Each player must know which cards are in his hand, but must have no information about which cards are in the other player's hand. The dealing method should ensure that the hands are disjoint, and that all possible hands are equally likely for each player.

During the game the players may want to draw new cards from the "remaining deck", or to reveal certain cards in their hand to the opposing player. They must be able to do so without compromising the security of the cards remaining in their hand.

At the end of the game, each player must be able to check that the game was played fairly and that the other player has not cheated. If one player claimed that he was dealt four aces, the other player must now be able to confirm this.






FIGURE 1

Bob encrypts the cards and sends them to Alice in scrambled order.



Alice chooses one for Bob, and encrypts another for herself, and sends them both to Bob.



Bob decrypts both cards, and returns Alice's encrypted card to her.

The above set of requirements makes a "fair game" of Mental Poker look rather difficult to achieve. To make things easier, we'll assume that both players own computers. This enables the use of complicated protocols (say, involving encryption). We do not assume that either player will trust the other's computer. (The players could program their computers to cheat!)

We suggest that you might find it an interesting challenge to attempt to find on your own a method for playing Mental Poker, before reading further.



FIGURE 2

Alice decrypts her card, and then they compare cards to see who has won.

## Summary of Results

We will present two solutions to the problem of playing Mental Poker:

- 1 A rigorous proof that it is theoretically impossible to deal the cards in a way which simultaneously ensures that the two hands are disjoint and that neither player has any knowledge of the other player's hand (other than that the opponent's hand is disjoint from his).
- 2 An elegant protocol for dealing the cards that permits one to play a fair game of Mental Poker as desired.

The blatant contradiction between our two results is not due to any tricks or faults in either result. In fact, we will leave to the reader the enjoyable task of puzzling out the differences in the underlying assumptions that account for our seemingly contradictory results.

## The Impossibility Proof

For the sake of simplicity, we consider the minimal non-trivial case of dealing two different cards (one to each player) from a deck of three cards  $\{X, Y, Z\}$ . The impossibility proof for this case can be easily generalized to any combination of cards and hand sizes.

If a legal protocol for this case exists, then after exchanging a finite number of messages, Alice and Bob each know their card but not their opponent's card. These messages must coordinate the two players' choices of cards to prevent them from getting the same card.

Suppose that for a particular deal

the messages exchanged are  $M_1, \dots, M_n$ ,  
 the card Alice actually gets is  $X$ , and  
 the card Bob actually gets is  $Y$ .

We define  $S_A$  to be the set of cards that Alice could have gotten in any deals where exactly the same messages are exchanged. (Since each player may want to make some random choices in order to get a card which is unpredictable to the other player, different deals could arise with the same sequence of messages having been exchanged.) Obviously, the card  $X$  is in  $S_A$ .

If  $S_A$  were to contain just the card  $X$ , then the deal would violate our requirement that Bob should have no information about Alice's card. Clearly the sequence of messages uniquely determines Alice's card in this case, so in an information-theoretic sense he has (total) information about her card. Furthermore, in any physically-realizable (and terminating) protocol for the deal, Alice has only a finite number of random com-

putations possible, so that Bob can actually determine Alice's card by examining those which are consistent with the given message sequence.

On the other hand if  $S_A$  contains all three cards, then Bob cannot get any card—regardless of which card he gets, the message sequence is consistent with the possibility that Alice's card is the same. Consequently,  $S_A$  must contain exactly two cards.

The set  $S_B$  of cards Bob can get without altering his external behavior is similarly defined, and it must also contain exactly two cards. However, the total number of cards in the deck is three, so that  $S_A$  and  $S_B$  cannot be disjoint. (In our example,  $\zeta$  belongs to both sets.) Thus it could happen that both Bob and Alice get the card  $\zeta$  in the case that the message sequence is  $M_1, \dots, M_n$ . Thus the protocol cannot guarantee that Bob and Alice will choose distinct cards. We conclude that a fair deal is impossible.

## A Protocol for the Deal

The following solution meets all the requirements for the problem. First of all, Bob and Alice agree on a pair of encryption and decryption functions  $E$  and  $D$  which have the following properties:

- 1  $E_K(X)$  is the encrypted version of a message  $X$  under key  $K$ ,
- 2  $D_K(E_K(X)) = X$  for all messages  $X$  and keys  $K$ ,
- 3  $E_K(E_J(X)) = E_J(E_K(X))$  for all messages  $X$  and keys  $J$  and  $K$ ,
- 4 Given  $X$  and  $E_K(X)$  it is computationally impossible for a cryptanalyst to derive  $K$ , for all  $X$  and  $K$ ,
- 5 Given any messages  $X$  and  $Y$ , it is computationally impossible to find keys  $J$  and  $K$  such that  $E_J(X) = E_K(Y)$ .

Property 3, the commutativity of encryption, is somewhat unusual but not impossible to achieve. Properties 4 and 5, (especially 4), essentially state that  $E$  is *cryptographically strong* or *unbreakable*.

As an example of a function with the above properties, consider

$$E_K(M) \equiv M^K \pmod{n}$$

where  $n$  is a large number (prime or composite with a given factorization) which is known to both Bob and Alice, and where

$$\gcd[K, \phi(n)] = 1.$$

$[\phi(n)]$  is Euler's totient function, which can be easily computed from the prime factorization of  $n$ .)

The corresponding decoding function is

$$D_K(C) \equiv C^L \pmod{n},$$

where

$$L \cdot K \equiv 1 \pmod{\phi(n)}.$$

Since

$$E_K[E_J(M)] \equiv E_J(E_K(M)) \equiv M^{JK} \pmod{n},$$

$E$  satisfies property **3**. (For more details on the cryptographic strength and importance of this function see [1,3,4].) We describe this particular encryption function here only to demonstrate that the kind of encryption functions we desire apparently exist; we will not make use of any particular properties this function has other than **1 ... 5**.

Once Bob and Alice have agreed on the functions  $E$  and  $D$  (in our example this means agreeing on  $p$ ), they choose secret encryption keys  $B$  and  $A$  respectively. These keys remain secret until the end of the game, when they are revealed to verify that no cheating has occurred.

Bob now takes the fifty-two messages:

"TWO OF CLUBS",  
 "THREE OF CLUBS",  
 ⋮  
 "ACE OF SPADES"

and encrypts each one (whose bit string is considered as a number) using his key  $B$ . (That is, he computes  $E_B$  ("TWO OF CLUBS"), etc.) He then shuffles (randomly rearranges) the encrypted deck and transmits it all to Alice.

Alice selects five cards (messages) at random and sends them back to Bob; these messages Bob decodes to find out what his hand is. Alice has no way of knowing anything about Bob's hand since the encryption key  $B$  is known only to Bob.

Now Alice selects five other messages, encrypts them with her key  $A$ , and sends them to Bob. Each of these five messages is now doubly encrypted as  $E_A(E_B(M))$ , or equivalently  $E_B(E_A(M))$ , for each  $M$ . Bob decrypts these messages obtaining  $E_A(M)$  for these five messages and sends them back to Alice. Alice can decrypt them using her key  $A$  to obtain her hand. Since Bob does not know  $A$ , he has no knowledge of Alice's hand.

Michael Rabin suggested a nice physical analogy for the above process. We can view encryption as equivalent to placing a padlock on a box containing the card. Bob initially locks all the cards in individual undistinguishable boxes with padlocks all of which have key  $B$ . Alice selects five boxes to return to him for his hand, and then sends him back five more boxes to which she has also added her own padlock with key  $A$  to the clasp ring. Bob removes his padlock from all ten boxes and returns to Alice those still locked with her padlock, for her hand. Notice the implicit use of commutativity in the order in which the padlocks are locked and unlocked.

Should either player desire additional cards during the game, the above procedure can be repeated for each card.

At the end of the game both players reveal their secret keys. Now either player can check that the other was "actually dealt" the cards he claimed to have during play. By property 5 neither player can cheat by revealing a key other than the one actually used (one which would give him a better hand).

The above procedure can also be easily extended to handle more than two players. (Details left to the reader.) Another obvious generalization is to use commutative encryption functions in secret communications systems to send arbitrary messages (rather than just card names) over a communications channel which is being eavesdropped.

## Conclusions

Initially we proved that the card-dealing problem is insoluble, and then we presented a working solution to the problem. We leave it to you, the reader, the puzzle of reconciling these results. (Hint: each player would in fact be able to determine the other player's hand from the available information, if it were not for the enormous computational difficulty of doing so by "breaking" the code.)

## Acknowledgements

We would like to thank Robert W. Floyd, Michael Rabin, and Albert Meyer for their motivation and valuable suggestions.


## References

- 1 Diffie, Whitfield and Hellman, Martin E. 1976. New Directions in Cryptography. *IEEE Trans. Info. Theory* IT-22: 644-654.
- 2 Morehead, A. H., Frey, R. L. and Mott-Smith, G. 1947. *The New Complete Hoyle*. New York: Garden City Books.
- 3 Pohlig, Stephen C. and Hellman, Martin E. 1978. An Improved Algorithm for Computing Logarithms over  $GF(p)$  and its Cryptographic Significance. *IEEE Trans. Info. Theory* IT-24: 106-110.
- 4 Rivest, Ronald L., Shamir, Adi and Adleman, Leonard M. 1978. A Method for Obtaining Digital Signatures and Public-Key Cryptosystems. *CACM* 21: 120-126.

---

This research was supported by NSF grants MCS78-05849 and MCS78-04343; and by ONR grant N00014-76-C-0366.

# THE MATHEMATICAL GARDNER



edited by

David A. Klarner



PRINDLE, WEBER & SCHMIDT  
Boston, Massachusetts 02116

(1981)



WADSWORTH INTERNATIONAL  
Belmont, California 94002